

<p><b>胶管接头</b> HYDRAULIC HOSE FITTING</p>	<p><b>过渡接头</b> ADAPTORS</p>
	
<p><b>快速接头</b> QUICK COUPLING</p>	<p><b>套筒</b> FERRULE</p>




**浙江林耐流体科技有限公司**  
ZHEJIANG LINNAI FLUID TECHNOLOGY CO., LTD

手机/Mob: 15805742117  
电话/Tel: 0577-86172117  
邮箱/E-mail: zjlinnai@cnlinnai.com  
地址/Add: 浙江省温州市龙湾区刘宅三路358号  
No.358 Liu Zhai 3 Road, Longwan District, Wenzhou, Zhejiang

**上海林耐流体设备有限公司**  
SHANGHAI LINNAI FLUID EQUIPMENT CO., LTD

传真/Fax: 0577-86178163  
邮箱/E-mail: shlinnai@cnlinnai.com  
地址/Add: 上海市奉贤区新奉公路4498号  
4498 Xinfeng Road, Fengxian District, Shanghai



## ABOUT US

Zhejiang Linnai Fluid Technology Co., Ltd. is an innovative fluid technology enterprise, many years adhering to the "quality as the root, service-oriented; With innovation as the wing, integrity as the basis of "production management business philosophy." The factory is located in Longwan District, Wenzhou, the capital of stainless steel, and the Shanghai office is located in Fengxian District, the commercial capital of Shanghai. There are more than dozens of employees, with sophisticated machining equipment and testing means, so that the product factory pass rate reaches 100%, better guarantee the product quality and purchase experience, and strive to solve the customer's pain points and difficulties.

The company is deeply engaged in the design, development and production of hydraulic joints, transition joints, hose joints, industrial joints, hydraulic hose assembly, metal hose assembly, etc., with many years of industry experience. Products are widely used in engineering machinery, ship construction, ocean engineering, aerospace, petrochemical, paper industry, food and pharmaceutical, new energy, semiconductor and so on.

Linnai with mature technology and advanced management concepts, to bring you quality assurance, after-sales peace of mind, happy service. Xing in quality, loyal to customers, is our consistent purpose, heart service is our consistent style, customer satisfaction is our greatest wish. In the future, we will continue to cooperate wholeheartedly with new and old customers to create brilliant future.



## 关于我们

浙江林耐流体科技有限公司是一家创新型流体科技企业，多年秉承“以品质为根，服务为本；以创新为翼，诚信为基”的生产管理经营理念。工厂座落于不锈钢之都温州市龙湾区，上海办事处座落于商业之都上海市奉贤区。现有职工几十余人，拥有精良的机械加工设备及检测手段，使产品出厂合格率达到100%，更好的保障了产品的使用质量和购买体验，极力解决了客户的痛点和难点。

公司深耕于设计研发及生产液压接头、过渡接头、软管接头、工业接头、液压胶管总成、金属软管总成等，拥有多年行业经验。产品广泛应用于工程机械、船舶建造、海洋工程、航空航天、石油化工、造纸工业、食品制药、新能源、半导体等。

林耐以成熟的技术和先进的管理理念，带给您质量的保证，售后的安心，服务的愉快。兴于品质、忠于客户，是我们奉行的一贯宗旨，用心服务是我们一贯作风，用户满意是我们的最大心愿。今后，我们将一如既往与新老客户竭诚合作，共创辉煌。



PROFESSIONAL  
PRODUCTION OF  
FLUID CONNECTORS



专注·积淀  
Focus and  
Accumulation

持续为客户提供满意的产品和方案！



精艺·匠心  
Exquisite craftsmanship  
and craftsmanship

坚持精湛工艺与设计结合的智造！



创新·技术  
Innovation and  
Technology

持续的技术升级和人才引进！

# CONTENTS

## 目录

01	<b>A</b>	<b>液压胶管系列</b>	<b>HYDRAULIC HOSE SERIES</b>
02		软管	HOSE
03	<b>B</b>	<b>胶管接头系列</b>	<b>HYDRAULIC HOSE FITTING SERIES</b>
04		一体式软管接头	ONE PIECE FITTING
05		套筒	FERRULE
06-07		公制螺纹胶管接头	METRIC THREADED RUBBER HOSE FITTING
08		英制螺纹胶管接头	INCH THREADED RUBBER HOSE FITTING
09		美制螺纹胶管接头	JIC&ORFS&SAE THREAD FITTING
10		SAE法兰胶管接头	SAE FLANGE HOSE FITTING
11		其他形式胶管接头	OTHER FORMS OF RUBBER HOSE FITTING
12	<b>C</b>	<b>过渡接头系列</b>	<b>ADAPTORS SERIES</b>
13		O型圈平面密封	O-RING FLAT SEAL
14		DIN卡套接头	DIN FERRULE CONNECTOR
15		O型圈平面密封	O-RING FLAT SEAL
15		74°锥接头	74 ° CONE JOINT
16		公制螺纹转BSPP螺纹	METRIC THREAD TO BSPP THREAD
16		公制螺纹转BSPT螺纹	METRIC THREAD TO BSPT THREAD
17		公制螺纹转美制螺纹	METRIC THREAD TO NPT/JIC THREAD
18-19		BSPP螺纹	BSPP THREAD
19		BSPP螺纹转BSPT螺纹	BSPP THREAD TO BSPT THREAD
20		BSPT螺纹	BSPT THREAD
20		日式英制螺纹	JIS GAS THREAD
21		英制螺纹转美制螺纹	BSP THREAD TO NPT/JIC THREAD
22		NPT螺纹	NPT THREAD
23		JIC螺纹	JIC THREAD
24		ORFS螺纹	ORFS THREAD
25		其他美制螺纹	OTHER NPT/JIC/SAE THREAD ADAPTORS
26		法兰	FLANGE
27	<b>D</b>	<b>快速接头系列</b>	<b>QUICK COUPLING SERIES</b>
28		ISO7241A	ISO7241A
29		ISO7241B	ISO7241B
29		ISO16028	ISO16028
30		ISO5675	ISO5675
31-32		螺纹锁紧式	SCREW TYPE
33-35		无阀系列	WITHOUT VALVE SERIES

PROFESSIONAL PRODUCTION OF  
FLUID CONNECTORS  
专业生产流体连接件



# A

## HYDRAULIC HOSE SERIES

### 液压胶管系列

# A 软管 HOSE




P12

一层钢丝编织软管  
One Wire Braid Hose  
(SAE 100 R1AT/EN 853 1SN)



P12

二层钢丝编织软管  
Two Wire Braid Hose  
(SAE100 R2AT/EN 853 2SN)



P13

钢丝缠绕软管  
Wire Spiral Hose  
(GB/T 10544 4SP-EN 856 4SP)



P13

钢丝缠绕软管  
Wire Spiral Hose  
(GB/T 10544 4SH-EN 856 4SH)



P14

钢丝缠绕软管  
Wire Spiral Hose  
(GB/T 10544 R12-SAE 100 R12-EN 856 R12)



P14

钢丝缠绕软管  
Wire Spiral Hose  
(GB/T 10544 R13-SAE 100 R13-EN 856 R13)



P15

钢丝缠绕软管  
Wire Spiral Hose  
(GB/T 10544 R15-SAE 100 R15)



P15

树脂软管  
Two Polyester Braid Hose  
(SAE 100 R7-EN 855 R7)



P16

一层织物编织软管  
One Wire Braid-Textile Cover Hose  
(SAE100 R6)



P16

铁氟龙软管  
PTFE Hose

PROFESSIONAL PRODUCTION OF  
FLUID CONNECTORS  
专业生产流体连接件




# B

## HYDRAULIC HOSE FITTING SERIES 胶管接头系列

# B

## 一体式软管接头 ONE PIECE FITTING



<p><b>10411Y</b></p>  <p>P17</p> <p>公制外螺纹24°内锥面轻系列 METRIC MALE 24° CONE SEAT L.T. DIN 3853</p>	<p><b>20411Y-T</b></p>  <p>P18</p> <p>公制内螺纹24°锥带O形圈轻系列 METRIC FEMALE 24° CONE O-RING L.T. DIN 3865</p>	<p><b>20441Y-T</b></p>  <p>P19</p> <p>45°公制内螺纹24°锥带O形圈轻系列 45° METRIC FEMALE 24° CONE O-RING L.T. DIN 3865</p>	<p><b>20491Y-T</b></p>  <p>P20</p> <p>90°公制内螺纹24°锥带O形圈轻系列 90° METRIC FEMALE 24° CONE O-RING L.T. ISO 12151-2—DIN 3865</p>
<p><b>10511Y</b></p>  <p>P21</p> <p>公制外螺纹24°内锥面重系列 METRIC MALE 24° CONE SEAT H.T. DIN 3853</p>	<p><b>20511Y-T</b></p>  <p>P22</p> <p>公制内螺纹24°锥带O形圈重系列 METRIC FEMALE 24° CONE O-RING H.T. DIN 3865</p>	<p><b>20541Y-T</b></p>  <p>P23</p> <p>45°公制内螺纹24°锥带O形圈重系列 45° METRIC FEMALE 24° CONE O-RING H.T. DIN 3865</p>	<p><b>20591Y-T</b></p>  <p>P24</p> <p>90°公制内螺纹24°锥带O形圈重系列 90° METRIC FEMALE 24° CONE O-RING H.T. DIN 3865</p>
<p><b>12611Y</b></p>  <p>P25</p> <p>英管外螺纹60°内锥面 BSP MALE 60° CONE SEAT</p>	<p><b>22611Y</b></p>  <p>P25</p> <p>英管内螺纹60°外锥面 BSP FEMALE 60° CONE</p>	<p><b>22641Y</b></p>  <p>P26</p> <p>45°英管内螺纹60°外锥面 45° BSP FEMALE 60° CONE</p>	<p><b>22691Y</b></p>  <p>P26</p> <p>90°英管内螺纹60°外锥面 90° BSP FEMALE 60° CONE</p>
<p><b>16711Y</b></p>  <p>P27</p> <p>美制JIC外螺纹74°外锥面 JIC MALE 74° CONE</p>	<p><b>26711Y</b></p>  <p>P27</p> <p>美制JIC内螺纹74°内锥面 JIC FEMALE 74° CONE SEAT</p>	<p><b>26741Y</b></p>  <p>P28</p> <p>45°美制JIC内螺纹74°内锥面 45° JIC FEMALE 74° CONE SEAT</p>	<p><b>26791Y</b></p>  <p>P28</p> <p>90°美制JIC内螺纹74°内锥面 90° JIC FEMALE 74° CONE SEAT</p>
<p><b>87311Y</b></p>  <p>P29</p> <p>SAE 法兰 3000 PSI SAE FLANGE 3000 PSI</p>	<p><b>87341Y</b></p>  <p>P29</p> <p>45° SAE 法兰 3000 PSI 45° SAE FLANGE 3000 PSI</p>	<p><b>87391Y</b></p>  <p>P30</p> <p>90° SAE 法兰 3000 PSI 90° SAE FLANGE 3000 PSI</p>	<p><b>87611Y</b></p>  <p>P30</p> <p>SAE 法兰 6000 PSI SAE FLANGE 6000 PSI</p>
<p><b>87691Y</b></p>  <p>P31</p> <p>90° SAE 法兰 6000 PSI 90° SAE FLANGE 6000 PSI</p>	<p><b>87641Y</b></p>  <p>P31</p> <p>45° SAE 法兰 6000 PSI 45° SAE FLANGE 6000 PSI</p>		

一体式软管接头 · ONE PIECE FITTING

# B

## 套筒 FERRULE



<p><b>00110-A</b></p>  <p>P32</p> <p>SAE 100 R1AT/EN 853 1SN软管套筒 FERRULE FOR SAE 100 R1AT/EN 853 1SN HOSE</p>	<p><b>00110</b></p>  <p>P32</p> <p>SAE 100 R1AT/EN 853 1SN软管套筒 FERRULE FOR SAE 100 R1AT/EN 853 1SN HOSE</p>	<p><b>00200</b></p>  <p>P33</p> <p>SAE 100 R2AT/EN 853 2SN软管套筒 FERRULE FOR SAE 100 R2AT/EN 853 2SN HOSE</p>
<p><b>00210</b></p>  <p>P33</p> <p>SAE 100 R2AT/DIN 20022 2SN软管套筒 FERRULE FOR SAE 100 R2AT/DIN 20022 2SN HOSE</p>	<p><b>03310</b></p>  <p>P34</p> <p>SAE 100 R2AT/EN 853 2SN软管套筒 FERRULE FOR SAE 100 R2AT/EN 853 2SN HOSE</p>	<p><b>00400</b></p>  <p>P34</p> <p>4SP、4SH/12-16、R12/06-16软管套筒 FERRULE FOR 4SP、4SH / 10-16、R12/06-16 HOSE</p>
<p><b>00621</b></p>  <p>P35</p> <p>GB/T 10544 R13/SAE 100 R13/EN 856 R13 软管剥内外胶套筒 INTERLOCK FERRULE FOR GB/T 10544 R13/SAE 100 R13/EN 856 R13 HOSE</p>	<p><b>00401</b></p>  <p>P35</p> <p>4SH、R12/32软管套筒 FERRULE FOR 4SH、R12/32 HOSE</p>	<p><b>01400</b></p>  <p>P35</p> <p>R12/20-24软管套筒 FERRULE FOR R12/20-24 HOSE</p>
<p><b>00018</b></p>  <p>P36</p> <p>SAE 100 R7软管套筒 FERRULE FOR SAE 100 R7 HOSE</p>	<p><b>00TF0</b></p>  <p>P36</p> <p>铁氟龙套筒 FERRULE FOR TEFLON HOSE</p>	

套筒 · FERRULE

# B

## 公制螺纹胶管接头 METRIC THREADED RUBBER HOSE FITTING



**10311**



P37

公制外螺纹平面O形圈密封  
O-RING METRIC MALE FLAT SEAL  
参考REF:GB/T 988

**20211**



P38

公制内螺纹平面  
METRIC FEMALE FLAT SEAT  
参考REF:GB/T 9065.3

**20241**



P39

45°公制内螺纹平面  
45°METRIC FEMALE FLAT SEAT  
参考REF:GB/T 9065.3

**20291**



P40

90°公制内螺纹平面  
90°METRIC FEMALE FLAT SEAT  
参考REF:GB/T 9065.3

**20111**



P41

公制内螺纹球面  
METRIC FEMALE MULTISEAL

**20141**



P42

45°公制内螺纹球面  
45°METRIC FEMALE MULTISEAL

**20191**



P43

90°公制内螺纹球面  
90°METRIC FEMALE MULTISEAL

**10711**



P44

国标公制外螺纹74°外锥面  
GB METRIC MALE 74°CONE

**20711**



P45

国标公制内螺纹74°内锥面  
GB METRIC FEMALE 74°CONE  
SEAT 参考 REF:GB/T 9065.1

**20741**



P46

45°国标公制内螺纹74°内锥面  
45°GB METRIC FEMALE 74°  
CONE SEAT

**20791**



P46

90°国标公制内螺纹74°内锥面  
90° GB METRIC FEMALE 74°  
CONE SEAT

**10411**



P47

公制外螺纹24°内锥面轻系列  
METRIC MALE 24°CONE SEAT  
L.T. DIN 3853.T  
ISO 8434-1—DIN 3861

**20411**



P48

公制内螺纹24°锥带O形圈轻系列  
METRIC FEMALE 24°CONE  
O-RING L.T. DIN 3865

**20441**



P49

45°公制内螺纹24°锥带O形圈轻系列  
45°METRIC FEMALE 24°CONE  
O-RING L.T. DIN 3865

**20491**



P50

90°公制内螺纹24°锥带O形圈轻系列  
90°METRIC FEMALE 24°CONE  
O-RING L.T.ISO 12151-2—DIN 3865

# B

## 公制螺纹胶管接头 METRIC THREADED RUBBER HOSE FITTING



**10511**



P51

公制外螺纹24°内锥面重系列  
METRIC MALE 24°CONE SEAT  
H.T.DIN 3853

**20511**



P52

公制内螺纹24°锥带O形圈重系列  
METRIC FEMALE 24°CONE  
O-RING H.T.DIN 3865

**20541**



P53

45°公制内螺纹24°锥带O形圈重系列  
45° METRIC FEMALE 24° CONE  
O-RING H.T.DIN 3865

**20591**



P54

90°公制内螺纹24°锥带O形圈重系列  
90° METRIC FEMALE 24° CONE  
O-RING H.T.DIN 3865

**50011**



P55

卡套式直管  
METRIC STANDPIPE  
STRAIGHT DIN 2353

**50041**



P56

45°公制DIN2353卡套式直管  
45°METRIC STANDPIPE  
STRAIGHT DIN 2353

**50091**



P57

90°公制DIN2353卡套式直管  
90°METRIC STANDPIPE  
STRAIGHT DIN 2353

**10513**



P92

公制外螺纹24°内锥面重系列  
METRIC MALE 24°CONE SEAT  
H.T. ISO 8434-1—DIN 3861

**20513-W**



P93

公制内螺纹24°锥带O形圈重系列  
METRIC FEMALE 24° CONE  
O-RING H.T.  
ISO 12151-2—DIN 3865

**20543-W**



P93

45°公制内螺纹24°锥带O形圈重系列  
45°METRIC FEMALE 24° CONE  
O-RING H.T.  
ISO 12151-2—DIN 3865

**20593-W**



P93

90°公制内螺纹24°锥带O形圈重系列  
90°METRIC FEMALE 24° CONE  
O-RING H.T.  
ISO 12151-2—DIN 3865

# B

## 英制螺纹胶管接头 INCH THREADED RUBBER HOSE FITTING



<p><b>22111</b></p>  <p>P59</p> <p>英管内螺纹平面 BSP FEMALE FLAT SEAT</p>	<p><b>22141</b></p>  <p>P60</p> <p>45°英管内螺纹球面 45°BSP FEMALE MULTISEAL</p>	<p><b>22191</b></p>  <p>P61</p> <p>90°英管内螺纹球面 90°BSP FEMALE MULTISEAL</p>	<p><b>22211</b></p>  <p>P62</p> <p>英管内螺纹球面 BSP FEMALE FLAT SEAT</p>
<p><b>22241</b></p>  <p>P63</p> <p>45°英管内螺纹平面 45°BSP FEMALE FLAT SEAT</p>	<p><b>22291</b></p>  <p>P63</p> <p>90°英管内螺纹平面 90°BSP FEMALE FLAT SEAT</p>	<p><b>12611</b></p>  <p>P64</p> <p>英管外螺纹60°内锥面 BSP MALE 60° CONE SEAT</p>	<p><b>12611A</b></p>  <p>P65</p> <p>英管外螺纹60°内锥面或六角端面用 组合垫密封的双用接头 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL</p>
<p><b>22611</b></p>  <p>P66</p> <p>英管内螺纹60°外锥面 BSP FEMALE 60° CONE</p>	<p><b>22641</b></p>  <p>P67</p> <p>45°英管内螺纹60°外锥面 45° BSP FEMALE 60° CONE</p>	<p><b>22691</b></p>  <p>P68</p> <p>90°英管内螺纹60°外锥面 90° BSP FEMALE 60° CONE</p>	<p><b>22611D</b></p>  <p>P69</p> <p>英管内螺纹60°外锥面双六角 BSP FEMALE 60° CONE DOUBLE HEXAGON</p>
<p><b>22611D-SM</b></p>  <p>P69</p> <p>英管内螺纹60°外锥面双六角 BSP FEMALE 60° CONE DOUBLE HEXAGON</p>	<p><b>22691K</b></p>  <p>P70</p> <p>90°英管短身内螺纹60°外锥面 90° BSP COMPACT FEMALE 60° CONE</p>	<p><b>29611</b></p>  <p>P85</p> <p>日本英制内螺纹60°内锥面 JIS GAS FEMALE 60° CONE SEAT JIS B8363</p>	<p><b>29641</b></p>  <p>P86</p> <p>45°日本英管内螺纹60°内锥面 45° JIS GAS FEMALE 60° CONE SEAT JIS B8363</p>
<p><b>29691</b></p>  <p>P86</p> <p>90°日本英管内螺纹60°内锥面 90° JIS GAS FEMALE 60° CONE SEAT JIS B8363</p>	<p><b>22613-W</b></p>  <p>P90</p> <p>英管内螺纹60°外锥面 BSP FEMALE 60° CONE</p>	<p><b>22643-W</b></p>  <p>P90</p> <p>45°英管内螺纹60°外锥面 45° BSP FEMALE 60° CONE</p>	<p><b>22693-W</b></p>  <p>P91</p> <p>90°英管内螺纹60°外锥面 90° BSP FEMALE 60° CONE</p>

英制螺纹胶管接头 · INCH THREADED RUBBER HOSE FITTING

# B

## 美制螺纹胶管接头 JIC&ORFS&SAE THREAD FITTING



<p><b>16711</b></p>  <p>P71</p> <p>美制JIC外螺纹74°外锥面 JIC MALE 74° CONE</p>	<p><b>26711</b></p>  <p>P72</p> <p>美制JIC内螺纹74°内锥面 JIC FEMALE 74° CONE SEAT SAE J514</p>	<p><b>26741</b></p>  <p>P73</p> <p>45°美制JIC内螺纹74°内锥面 45° JIC FEMALE 74° CONE SEAT SAE J514</p>	<p><b>26791</b></p>  <p>P74</p> <p>90°美制JIC内螺纹74°内锥面 90° JIC FEMALE 74° CONE SEAT SAE J514</p>
<p><b>26711D</b></p>  <p>P75</p> <p>美制JIC内螺纹74°内锥面双六角 JIC FEMALE 74° CONE SEAT DOUBLE HEXAGON SAE J514</p>	<p><b>26711D-SM</b></p>  <p>P75</p> <p>美制JIC内螺纹74°内锥面双六角 JIC FEMALE 74° CONE SEAT DOUBLE HEXAGON SAE J514</p>	<p><b>26791K</b></p>  <p>P76</p> <p>90°美制短身JIC内螺纹74°内锥面 90° JIC COMPACT FEMALE 74° CONE SEAT</p>	<p><b>27811</b></p>  <p>P76</p> <p>美制SAE内螺纹90°内锥面 SAE FEMALE 90° CONE SEAT SAE J513</p>
<p><b>27891</b></p>  <p>P77</p> <p>90°美制SAE内螺纹90°内锥面 90° SAE FEMALE 90° CONE SEAT SAE J513</p>	<p><b>24211</b></p>  <p>P78</p> <p>美制ORFS内螺纹平面 ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516</p>	<p><b>24241</b></p>  <p>P79</p> <p>45°美制ORFS内螺纹平面 90° BSP FEMALE 60° CONE</p>	<p><b>24291</b></p>  <p>P80</p> <p>90°美制ORFS内螺纹平面 90° ORFS FEMALE FLAT SEAT ISO 12151-1—SAE J516</p>
<p><b>15611</b></p>  <p>P70</p> <p>布锥管外螺纹 NPT MALE</p>	<p><b>15613</b></p>  <p>P91</p> <p>布锥管外螺纹 NPT MALE</p>	<p><b>26713-W</b></p>  <p>P92</p> <p>美制JIC内螺纹74°内锥面 JIC FEMALE 74° CONE SEAT</p>	<p><b>26793-W</b></p>  <p>P92</p> <p>90°美制JIC内螺纹74°内锥面 90° JIC FEMALE 74° CONE SEAT</p>

美制螺纹胶管接头 · JIC&ORFS&SAE THREAD FITTING

# B

## SAE法兰胶管接头 SAE FLANGE HOSE FITTING



**87311**



P81

SAE 法兰 3000 PSI  
SAE FLANGE 3000 PSI  
ISO 12151-3—SAE J516

**8734J**



P81

45°SAE 法兰 3000 PSI  
45° SAE FLANGE 3000 PSI  
ISO 12151-3—SAE J516

**87391**



P82

90°SAE 法兰 3000 PSI  
90° SAE FLANGE 3000 PSI  
ISO 12151-3—SAE J516

**87611**



P83

SAE 法兰 6000 PSI  
SAE FLANGE 6000 PSI  
ISO 12151-3—SAE J516

**87641**



P84

45°SAE 法兰 6000 PSI  
45° SAE FLANGE 6000 PSI  
ISO 12151-3—SAE J516

**87691**



P84

90°SAE 法兰 6000 PSI  
90° SAE FLANGE 6000 PSI  
ISO 12151-3—SAE J516

**87313**



P94

SAE 法兰 3000 PSI  
SAE FLANGE 3000 PSI  
ISO 12151-3—SAE J516

**87613**



P94

SAE 法兰 6000 PSI  
SAE FLANGE 6000 PSI  
ISO 12151-3—SAE J516

**87343**



P95

45°SAE 法兰 3000 PSI  
45° SAE FLANGE 3000 PSI

**87393**



P95

90°SAE 法兰 3000 PSI  
90° SAE FLANGE 3000 PSI

**87643**



P96

45°SAE 法兰 6000 PSI  
45° SAE FLANGE 6000 PSI

**87693**



P96

90°SAE 法兰 6000 PSI  
90° SAE FLANGE 6000 PSI



# B

## 其他形式胶管接头 OTHER FORMS OF RUBBER HOSE FITTING



**70011**



P87

公制铰接体  
METRIC BANJO DIN 7642

**700M**



P87

公制铰接螺栓  
METRIC BOLT DIN 7643

**72011**



P88

英制铰接体  
BSPP BANJO

**720B**



P88

英制铰接螺栓  
BSPP BOLT

**90011**



P89

双面连接芯  
DOUBLE CONNECTOR

**90012**



P89

双面连接芯  
DOUBLE CONNECTOR

**90013**



P97

双面连接芯  
DOUBLE CONNECTOR

**20011-T**



P77

公制内螺纹高压水管接头  
METRIC FEMALE WATERWASH  
INSERTS

**13010-SP**



P97

英锥管外螺纹  
BSPT MALE

**15610**



P97

布锥管外螺纹  
NPT MALE

**12610**



P98

英管外螺纹60°内锥面  
BSP MALE 60° CONE SEAT

**22610**



P98

英管内螺纹60°外锥面  
BSP FEMALE 60° CONE

**16710**



P99

美制JIC外螺纹74°外锥面  
JIC MALE 74° CONE

**26710**



P99

美制JIC内螺纹74°内锥面  
JIC FEMALE 74° CONE SEAT





# C O型圈平面密封 O-RING FLAT SEAL

1E



P102

公制外螺纹O形圈平面密封  
METRIC MALE O-RING

1E9



P102

90°公制外螺纹O形圈平面密封  
90°METRIC MALE O-RING

AE



P103

公制外螺纹O形圈平面密封三通接头  
METRIC MALE O-RING TEE

2E9



P103

90°弯公制螺纹O形圈平面密封  
90°ELBOW METRIC O-RING

1EH



P104

公制外螺纹O形圈平面密封  
/公制外螺纹ISO 6149-2  
METRIC MALE O-RING / METRIC MALE ISO 6149-2

1EH9-OG



P104

90°公制外螺纹O形圈平面密封  
/公制外螺纹可调向柱端重系列ISO 6149-2  
90°ELBOW METRIC MALE O-RING / METRIC MALE  
ADJUSTABLE STUD END S-SERIES ISO 6149-2

1EL



P105

公制外螺纹O形圈平面密封/公制外螺纹组合垫圈  
METRIC MALE O-RING/METRIC  
MALE WITH BONDED SEAL

2WE



P120

焊接管/公制内螺纹O形圈平面密封  
BUTT-WELD TUBE/METRIC  
FEMALE O-RING

## ADAPTORS SERIES 过渡接头系列



# C DIN卡套接头 DIN FERRULE CONNECTOR



<b>1C,1D</b>  P106 直通接头 STRAIGHT FITTINGS	<b>1C,1D</b>  P107 直通变径接头 STRAIGHT REDUCERS	<b>1C9,1D9</b>  P108 90°弯曲接头 90° ELBOW FITTINGS	<b>AC,AD</b>  P109 三通接头 EQUAL TEES
<b>2C</b>  P110 外螺纹内螺纹转换接头 REDUCER TUBE ADAPTOR WITH SWIVEL NUT	<b>2D</b>  P111 外螺纹内螺纹转换接头 REDUCER TUBE ADAPTOR WITH SWIVEL NUT	<b>2C9,2D9</b>  P112 90°弯外螺纹内螺纹转换接头 REDUCER TUBE ADAPTOR WITH SWIVEL NUT 90° ELBOW	<b>BC,BD</b>  P113 内螺纹分支三通接头 BRANCH TEE FITTINGS WITH SWIVEL NUT
<b>CC,CD</b>  P114 内螺纹主支三通接头 RUN TEE FITTINGS WITH SWIVEL NUT	<b>3C,3D</b>  P115 内螺纹直通接头 STRAIGHT TUBE ADAPTERS WITH SWIVEL NUT	<b>4C,4D</b>  P116 堵头 PLUG	<b>9C,9D</b>  P117 内螺纹堵头 FEMALE PLUG
<b>6C,6D</b>  P118 直通过板接头 STRAIGHT BULKHEAD FITTINGS	<b>6C9,6D9</b>  P119 90°弯曲过板接头 90° ELBOW BULKHEAD FITTINGS	<b>1CH,1DH</b>  P125 公制外螺纹柱端ISO 6149 METRIC THREAD STUD ENDS ISO 6149	<b>1CH9-OG,1DH9-OG</b>  P126 90°弯公制外螺纹可调向柱端 ISO 6149 90° ELBOW METRIC THREAD ADJUSTABLE STUD ENDS ISO 6149
<b>ACCH-OG,ADDH-OG</b>  P127 公制外螺纹可调向柱端 ISO 6149主支三通 METRIC MALE ADJUSTABLE STUD END ISO 6149 RUN TEE	<b>ACHC-OG,ADHD-OG</b>  P128 公制外螺纹可调向柱端 ISO 6149分支三通 METRIC MALE ADJUSTABLE STUDEND ISO 6149 BRANCH TEE	<b>2WC,2WD</b>  P139 焊接接头 WELD FITTINGS	<b>1CM-WD,1DM-WD</b>  P140 公制螺纹胶垫密封柱端 METRIC THREAD WITH CAPTIVE SEAL
<b>2MC-WD,2MD-WD</b>  P141 公制螺纹胶垫密封柱端 /公制内螺纹24°锥O形圈密封 METRIC THREAD WITH CAPTIVE SEAL METRIC FEMALE 24° CONE O-RING SEALING	<b>1CI-WD,1DI-WD</b>  P142 公制螺纹胶垫接头 METRIC BANJO	<b>1CW,1DW</b>  P144 焊接接头 WELD FITTINGS	<b>1C-Y,1D-Y</b>  P145 圆柱过板接头 CYLINDER STRAIGHT BULKHEAD

# C O型圈平面密封 O-RING FLAT SEAL



<b>5CB,5DB</b>  P146 英管内螺纹 BSPP FEMALE	<b>5CB-G,5DB-G</b>  P147 铜垫密封英管压力表接头 METRIC BANJO	<b>7BC-GS,7BD-GS</b>  P147 铜垫密封英管压力表接头 BSP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING	<b>5CM,5DM</b>  P148 公制内螺纹 BSPP PRESSURE GAUGE CONNECTOR WITH COPPER SEALING RING
<b>NL,NS</b>  P149 卡套螺母 RETAINING NUTS	<b>RL,RS</b>  P150 卡套 CUTTING RING	<b>8C</b>  P120 公制螺纹锁母 METRIC LOCK NUT	<b>4MN-WD</b>  P252 公制外螺纹胶垫密封内六角堵头 METRIC MALE CAPTIVE SEAL HOLLOW HEX PLUG
<b>4H</b>  P253 公制外螺纹轻系列堵头ISO 6149-3 METRIC MALE L-SERIES PLUG ISO 6149-3			

# C 74°锥接头 74° CONE JOINT

<b>1Q</b>  P151 公制外螺纹74°外锥 METRIC MALE 74° CONE	<b>AQ</b>  P151 公制外螺纹74°外锥三通 METRIC MALE 74° CONE TEE	<b>2Q9</b>  P152 公制外螺纹74°外锥 /公制内螺纹74°内锥 METRIC MALE 74° CONE/ METRIC FEMALE 74° SEAT	<b>4Q</b>  P152 公制外螺纹74°外锥堵头 METRIC MALE 74° CONE PLUG
<b>6Q</b>  P153 公制外螺纹74°外锥过板接头 METRIC MALE 74° CONE BULKHEAD	<b>NB200-Q</b>  P157 公制74°锥扩口式管接头螺母 GB/T 5647 METRIC 74° CONE FLARED NUT GB/T 5647	<b>NB500-Q</b>  P157 公制74°锥扩口式管接头衬套 GB/T 5646 METRIC 74° CONE FLARED SLEEVE GB/T 5646	

公制螺纹转公制螺纹  
METRIC THREAD TO METRIC THREAD

公制螺纹转公制螺纹  
METRIC THREAD TO METRIC THREAD

# C 公制螺纹转BSPP螺纹 METRIC THREAD TO BSPP THREAD



**1CG,1DG**



P129

英管螺纹O形圈密封柱端  
BSPP THREAD STUD ENDS  
WITH O-RING SEALING

**1CG9-OG,1DG9-OG**



P130

90°弯英管螺纹可调向O形圈密封柱端  
90° ELBOW BSPP THREAD ADJUSTABLE STUD ENDS  
WITH O-RING SEALING

**ACCG-OG,ADDG-OG**



P131

英管螺纹可调向O形圈密封柱端主支三通  
BSPP THREAD ADJUSTABLE  
STUDEND WITH O-RING SEALING RUN TEE

**ACGC-OG,ADGD-OG**



P132

英管螺纹可调向O形圈密封柱端分支三通  
BSPP THREAD ADJUSTABLE  
STUD ENDS WITH O-RING SEALING BRANCH TEE

**1CB-WD,1DB-WD**



P137

英管螺纹胶垫密封柱端  
BSPP THREAD STUD ENDS  
WITH O-RING SEALING

**2BC-WD,2BD-WD**



P138

英管螺纹胶垫密封柱端  
/公制内螺纹24°锥O形圈密封  
90° ELBOW BSPP THREAD  
ADJUSTABLE STUD ENDS WITH O-RING SEALING

**1BL**



P176

英管外螺纹60°内锥或六角端面用组合垫密封  
/公制外螺纹组合垫圈  
BSP MALE DOUBLE USE FOR 60° CONE SEAT  
OR BONDED SEAL / METRIC MALE WITH BONDED SEAL

**1BM**



P177

英管外螺纹60°内锥或六角端面用组合垫密封  
/公制外螺纹60°内锥或六角端面用组合垫密封  
BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL  
/ METRIC MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL

**1CI-BWD,1DI-BWD**



P143

英制螺纹铰接头  
METRIC BANJO

# C 公制螺纹转美制螺纹 METRIC THREAD TO NPT/JIC THREAD



**1CN,1DN**



P121

布锥管外螺纹  
NPT MALE

**1CN9,1DN9**



P122

90°弯布锥管外螺纹  
90° ELBOW NPT MALE

**1QN**



P154

公制外螺纹74°外锥/布锥管外螺纹  
METRIC MALE 74° CONE  
/ NPT MALE

**1QN9**



P155

90°弯公制外螺纹74°外锥/布锥管外螺纹  
90° ELBOW METRIC MALE  
74° CONE / NPT MALE

**1CO,1DO**



P133

美制螺纹O形圈密封柱端ISO11926  
UN, UNF THREAD STUD ENDS  
WITH O-RING SEALING ISO 11926

**1CO9-OG,1DO9-OG**



P134

90°弯美制螺纹可调向O形圈密封柱端  
ISO 11926  
90° ELBOW UN, UNF THREAD ADJUSTABLE STUD  
ENDS WITH O-RING SEALING ISO 11926

**ACCO-OG, ADDO-OG**



P135

美制螺纹可调向O形圈密封柱端主支三通  
UN, UNF THREAD ADJUSTABLE  
STUD ENDS WITH O-RING SEALING RUN TEE

**ACOC-OG, ADOD-OG**



P136

美制螺纹可调向O形圈密封柱端分支三通  
UN, UNF THREAD ADJUSTABLE  
STUD ENDS WITH O-RING SEALING RUN TEE

**1JM-WD**



P227

JIC外螺纹74°外锥/公制外螺纹胶垫密封  
JIC MALE 74° CONE  
/ METRIC MALE CAPTIVE SEAL

# C 公制螺纹转BSPT螺纹 METRIC THREAD TO BSPT THREAD

**1ET-SP**



P105

公制外螺纹O形圈平面密封/英锥管外螺纹  
METRIC MALE O-RING/  
BSPT MALE

**1CT-SP,1DT-SP**



P123

英锥管外螺纹  
BSPT MALE

**1CT9-SP,1DT9-SP**



P124

90°弯布锥管外螺纹  
90° ELBOW BSPT MALE

**1QT-SP**



P156

公制外螺纹74°外锥/英锥管外螺纹  
METRIC MALE 74° CONE  
/ BSPT MALE

**1QT9-SP**



P156

90°弯公制外螺纹74°外锥/英锥管外螺纹  
90° ELBOW METRIC MALE 74°  
CONE/BSPT MALE

公制螺纹转英制螺纹  
METRIC THREAD TO BSP THREAD

公制螺纹转美制螺纹  
METRIC THREAD TO NPT/JIC THREAD

# C BSPP螺纹 BSPP THREAD



**1B**



P162

英管外螺纹60°内锥或六角端面用组合垫密封  
BSPP MALE DOUBLE USE FOR 60°SEAT OR BONDED SEAL

**1B9**



P163

90°弯英管外螺纹60°内锥  
90° ELBOW BSPP MALE 60°SEAT

**AB**



P163

英管外螺纹60°内锥三通  
BSPP MALE 60°SEAT TEE

**2B**



P164

英管外螺纹60°内锥或六角端面用组合密封  
/英管内螺纹60°内锥  
BSPP MALE DOUBLE USE FOR 60° SEATOR BONDED SEAL/BSPP MALE 60°SEAT

**2B9**



P164

90°弯英管外螺纹60°内锥/英管内螺纹60°外锥  
90°ELBOW BSPP MALE 60°SEAT /BSPP FEMALE 60°CONE

**BB**



P165

英管外螺纹60°内锥/英管内螺纹60°外锥三通  
BSPP MALE 60°EAT / BSPP FEMALE 60° CONE BRANCH TEE

**CB**



P165

英管外螺纹60°内锥/英管内螺纹60°外锥三通  
BSPP MALE 60°EAT / BSPP FEMALE 60° CONE BRANCH TEE

**3B**



P166

英管内螺纹60°外锥  
BSPP MALE 60°CONE

**3B9**



P166

90°英管内螺纹60°外锥  
90° BSPP FEMALE 60°CONE

**DB**



P167

英管内螺纹60°外锥三通  
BSPP FEMALE 60°CONE TEE

**4B**



P167

英管外螺纹60°内锥或六角端面用组合垫密封堵头  
BSPP MALE DOUBLE USE FOR 60°SEATOR BONDED SEAL PLUG

**9B**



P168

英管内螺纹60°外锥堵头  
BSPP MALE 60°CONE PLUG

**6B**



P168

英管外螺纹60°内锥过板接头  
BSPP MALE 60°SEAT BULKHEAD

**1BG**



P174

英管外螺纹60°内锥或六角端面用组合垫密封  
/英管外螺纹O形圈  
BSP MALE DOUBLE USE FOR 60°CONE SEAT ORONDED SEAL /BSP MALE O-RING

**1BG9-OG**



P174

90°弯英管外螺纹60°内锥  
/英管外螺纹O形圈可调向柱端  
90°ELBOW BSP MALE 60°SEAT /BSP MALE O-RING ADJUSTABLE STUD END

# C BSPP螺纹 BSPP THREAD



**1BW**



P178

英管外螺纹60°内锥或六角端面用  
组合垫密封/焊接管  
BSP MALE DOUBLE USE FOR 60° CONE SEATOR BONDED SEAL/BUTT-WELD TUBE

**2WB**



P178

焊接管/英管内螺纹60°外锥  
BUTT-WELD TUBE / BSP FEMALE 60°CONE

**1B-WD**



P179

英管外螺纹60°内锥或六角端面用  
组合垫密封/英管外螺纹胶垫密封  
BSP MALE DOUBLE USE FOR 60°CONE SEAT OR BONDED SEAL / BSP MALE CAPTIVE SEAL

**4BN-WD**



P182

英管外螺纹胶垫密封内六角堵头  
BSP MALE CAPTIVE SEAL HOLLOW HEX PLUG

**4B-WD**



P182

英管外螺纹胶垫密封堵头  
BSP MALE CAPTIVE SEAL PLUG

**5B**



P183

英管外螺纹60°内锥或六角端面用  
组合垫密封英管内螺纹ISO 1179  
BSP MALE DOUBLE USE FOR 60°CONE SEAT OR BONDED SEAL / BSP FEMALE ISO 1179

**5B9**



P184

90°弯英管外螺纹60°内锥  
/英管内螺纹ISO 1179  
90°ELBOW BSP MALE 60°SEAT /BSP FEMALE ISO 1179

**7B**



P184

英管内螺纹ISO 1179  
BSP FEMALE ISO 1179

**7B9-PK**



P185

90°英管内螺纹ISO 1179  
90°BSP FEMALE ISO 1179

**GB-PK**



P186

英管内螺纹ISO 1179三通  
BSP FEMALE ISO 1179 TEE

**5B-WD**



P187

英管外螺纹胶垫密封  
/英管内螺纹ISO 1179  
BSP MALE CAPTIVE SEALBSP FEMALE ISO 1179

**2B-G**



P188

英管螺纹60°内锥/英管内螺纹表接头  
BSP MALE 60° SEAT/BSP FEMALE PRESSURE GAUGE CONNECTORS

# C BSPP螺纹转BSPT螺纹 BSPP THREAD TO BSPT THREAD



**1BT-SP**



P169

英管外螺纹60°内锥/英锥管外螺纹  
ELBOW BSPP MALE 60°SEAT /BSPT MALE

**1BT4-SP**



P170

45°弯英管外螺纹60°内锥  
/英锥管外螺纹  
45°ELBOW BSPP MALE 60° SEAT / BSPT MALE

**1BT9-SP**



P171

90°弯英管外螺纹60°内锥  
/英锥管外螺纹  
90°ELBOW BSPP MALE 60° SEAT / BSPT MALE

**2TB-SP**



P181

英锥管外螺纹/英管内螺纹60°外锥  
BSPT MALE/BSP FEMALE 60°CONE

**2TB9-SP**



P181

90°弯英锥管外螺纹  
/英管内螺纹60°外锥  
90°ELBOW BSPT MALE/BSP FEMALE 60°CONE

**7TB-S**



P185

英锥管内螺纹/英管内螺纹60°外锥  
BSPT FEMALE BSP FEMALE 60°CONE

**5BT**



P188

英管外螺纹60°内锥或六角端面用  
组合垫密封/英锥管内螺纹  
BSP MALE DOUBLE USE FOR 60° CONE SEATOR BONDED SEAL / BSPT FEMALE

英制螺纹转英制螺纹 · BSPP THREAD TO BSPP THREAD

英制螺纹转英制螺纹 · BSPP THREAD TO BSPP THREAD

# C BSPT螺纹 BSPT THREAD



<b>1T-SP</b>  P189 英锥管外螺纹 BSPT MALE	<b>1T9-SP</b>  P189 90°弯英锥管外螺纹 90° ELBOW BSPT MALE	<b>4T-SP</b>  P190 英锥管外螺纹堵头 BSPT MALE PLUG	<b>4TN</b>  P190 英锥管外螺纹内六角堵头 BSPT MALE HOLLOW HEX PLUG
<b>5T-SP</b>  P191 英锥管外螺纹/英锥管内螺纹 BSPT MALE / BSPT FEMALE	<b>5T9-SP</b>  P191 90°弯英锥管外螺纹/英锥管内螺纹 90° ELBOW BSPT MALE / BSPT FEMALE	<b>7T</b>  P192 英锥管内螺纹 BSPT FEMALE	<b>GT-PK</b>  P193 英锥管内螺纹三通 BSPT FEMALE TEE
<b>7T9-PK</b>  P192 90°弯英锥管内螺纹 90° ELBOW BSPT FEMALE			

# C 日式英制螺纹 JIS GAS THREAD



<b>1S</b>  P158 日本英管外螺纹60°外锥 JIS GAS MALE 60° CONE	<b>4S</b>  P158 日本英管外螺纹60°外锥堵头 JIS GAS MALE 60° CONE	<b>6S</b>  P158 日本英管外螺纹60°外锥过板接头 JIS GAS MALE 60° CONE BULKHEAD	<b>1SG</b>  P159 日本英管外螺纹60°外锥 /英管外螺纹O形圈 JIS GAS MALE 60° CONE /BSPP MALE O-RING
<b>1SG9-OG</b>  P159 90°弯日本英管外螺纹60°外锥 /英管外螺纹O形圈可调向柱端 90° ELBOW JIS GAS MALE 60° CONE /BSPP MALE O-RING ADJUSTABLE STUD END	<b>1ST-SP</b>  P160 日本英管外螺纹60°外锥 /英锥管外螺纹 JIS GAS MALE 60° CONE /BSPT MALE	<b>1ST9-SP</b>  P161 90°弯日本英管外螺纹60°外锥 /英锥管外螺纹 90° ELBOW JIS GAS MALE 60° CONE / BSPT MALE	

# C 英制螺纹转美制螺纹 BSP THREAD TO NPT/JIC THREAD



<b>1BN</b>  P172 英管外螺纹60°内锥或六角端面用 组合垫密封/美制布锥管外螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL/NPT MALE	<b>1BN9</b>  P173 90°弯英管外螺纹60°内锥 美制布锥管外螺纹 90° ELBOW BSP MALE DOUBLE USE FOR 60° NPT MALE	<b>1BJ</b>  P175 英管外螺纹60°内锥或六角端面用 组合垫密封/美制JIC外螺纹74°外锥 BSP MALE DOUBLE USE FOR 60° CONE SEAT ORBONDED SEAL/JIC MALE 74° CONE	<b>2BJ-WD</b>  P179 英管外螺纹胶垫密封 /美制JIC内螺纹74°内锥 BSP MALE CAPTIVE SEAL / JIC FEMALE 74° SEAT
<b>2NB</b>  P180 布锥管外螺纹/英管内螺纹60°外锥 NPT MALE/BSPT FEMALE 60° CONE	<b>2NB9</b>  P180 90°弯布锥管外螺纹 /英管内螺纹60°外锥 90° ELBOW NPT MALE /BSPT FEMALE 60° CONE	<b>5BN</b>  P186 英管外螺纹60°内锥或六角端面用 组合垫密封/美制布锥管内螺纹 BSP MALE DOUBLE USE FOR 60° CONE SEAT OR BONDED SEAL / NPT FEMALE	<b>5GN</b>  P201 英管外螺纹O形圈/美制布锥管内螺纹 BSP MALE O-RING / NPT FEMALE
<b>1JT-SP</b>  P217 美制JIC外螺纹74°外锥 /英锥管外螺纹 JIC MALE 74° CONE / BSPT MALE	<b>1JT9-SP</b>  P218 90°弯美制JIC外螺纹74°外锥 /英锥管外螺纹 90° ELBOW JIC MALE 74° CONE /BSPT MALE	<b>2TJ-SP</b>  P219 英锥管外螺纹 /美制JIC内螺纹74°内锥 BSPT MALE /JIC FEMALE 74° SEAT	<b>1JG</b>  P223 美制JIC外螺纹74°外锥 /英管外螺纹O形圈 JIC MALE 74° CONE BSPP MALE O-RING
<b>1JG9-OG</b>  P224 90°弯美制JIC外螺纹74°外锥 /英管外螺纹O形圈 90° ELBOW JIC MALE 74° CONE /BSPP MALE O-RING	<b>AJGJ-OG</b>  P225 JIC外螺纹74°外锥 /英管外螺纹O形圈分支三通 90° ELBOW JIC MALE 74° CONE /BSPP MALE O-RING BRANCH TEE	<b>AJJG-OG</b>  P225 JIC外螺纹74°外锥 /英管外螺纹O形圈主支三通 90° ELBOW JIC MALE 74° CONE /BSPP MALE O-RING RUN TEE	<b>1JB-WD</b>  P226 JIC外螺纹74°外锥 /英管外螺纹胶垫密封 JIC MALE 74° CONE /BSPP MALE CAPTIVE SEAL

英制螺纹转美制螺纹 · BSP THREAD TO NPT/JIC THREAD

英制螺纹转美制螺纹 · BSP THREAD TO NPT/JIC THREAD

# C NPT螺纹 NPT THREAD



**1N9**

P193

90°弯布锥管外螺纹  
90°ELBOW NPT MALE

**1N**

P194

美制布锥管外螺纹  
NPT MALE

**4N**

P195

美制布锥管外螺纹堵头  
NPT MALE PLUG

**4NN**

P195

美布锥管外螺纹内六角堵头  
NPT MALE HOLLOW HEX PLUG

**5N**

P196

布锥管外螺纹/布锥管内螺纹  
NPT MALE / NPT FEMALE

**5N9**

P197

90°弯布锥管外螺纹/布锥管内螺纹  
90°ELBOW NPT MALE / NPT FEMALE

**JN**

P197

布锥管内螺纹/布锥管外螺纹三通  
NPT FEMALE / NPT MALE BRANCH TEE

**HN**

P198

美制布锥管内螺纹/布锥管外螺纹主支三通  
NPT FEMALE / NPT MALE RUN TEE

**7N**

P198

美制布锥管内螺纹  
NPT FEMALE

**7N9-PK**

P199

90°弯美制布锥管内螺纹  
90°ELBOW NPT FEMALE

**GN-PK**

P199

美制布锥管内螺纹三通  
NPT FEMALE TEE

# C JIC螺纹 JIC THREAD



**1J**

P202

美制JIC外螺纹74°外锥  
JIC MALE 74° CONE

**1J9**

P203

90°弯美制JIC外螺纹74°外锥  
90° ELBOW JIC MALE 74° CONE

**AJ**

P203

美制JIC外螺纹74°外锥三通  
JIC MALE 74° CONE TEE

**2J**

P204

美制JIC外螺纹74°外锥  
/JIC内螺纹74°内锥  
JIC MALE 74° CONE  
/JIC FEMALE 74° SEAT

**2J9**

P205

90°弯美制JIC外螺纹74°外锥  
/JIC内螺纹74°内锥  
90°ELBOW JIC MALE 74° CONE  
/JIC FEMALE 74° SEAT

**5J-S**

P206

美制JIC外螺纹/美制JIC内螺纹  
JIC MALE/JIC FEMALE

**BJ**

P207

美制JIC外螺纹74°外锥  
/美制JIC内螺纹74°内锥分支三通  
JIC MALE 74° CONE / JIC FEMALE  
BRANCH TEE

**CJ**

P207

美制JIC外螺纹74°外锥  
/美制JIC内螺纹74°内锥主支三通  
JIC MALE 74° CONE / JIC FEMALE  
74° SEAT RUN TEE

**DJ**

P208

美制JIC内螺纹74°内锥三通  
JIC FEMALE 74° SEAT TEE

**2WJ**

P208

焊接管/美制JIC内螺纹74°内锥  
BUTT-WELD TUBE  
/JIC FEMALE 74° SEAT

**3J**

P209

美制JIC内螺纹74°内锥  
JIC FEMALE 74° SEAT

**4J**

P209

美制JIC外螺纹74°外锥堵头  
JIC MALE 74° CONE PLUG

**9J**

P210

美制JIC内螺纹74°内锥堵头  
JIC FEMALE 74° SEAT PLUG

**9J-CAP**

P210

JIC 74°内螺纹堵头  
JIC 74° FEMALE PLUG

**6J**

P211

美制JIC外螺纹74°外锥过板接头  
JIC MALE 74° CONE BULKHEAD

**6J9**

P211

90°弯美制JIC外螺纹  
/74°外锥过板接头  
90° ELBOW JIC MALE 74°  
CONE BULKHEAD

**NB200**

P228

美制JIC扩口管接头螺母  
JIC FLARE TUBE END NUT

**NB300**

P229

JIC英制管衬套  
JIC INCH SLEEVE

**NB500**

P229

JIC公制管衬套  
JIC METRIC SLEEVE

# C ORFS螺纹 ORFS THREAD



<b>1F</b>  P230 美制ORFS外螺纹O形圈平面密封 ORFS MALE O-RING	<b>1F9</b>  P230 90°弯美制ORFS外螺纹O形圈平面密封 90°ELBOW ORFS MALE O-RING	<b>2F</b>  P231 美制ORFS外螺纹O形圈平面密封 / ORFS内螺纹 ORFS MALE O-RING / ORFS FEMALE	<b>2F9</b>  P232 90°弯美制ORFS外螺纹O形圈平面密封 / ORFS内螺纹 90°ELBOW ORFS MALE O-RING / ORFS FEMALE
<b>AF</b>  P232 美制ORFS外螺纹O形圈平面密封三通 ORFS MALE O-RING TEE	<b>CF</b>  P233 美制ORFS外螺纹O形圈平面密封 / 美制ORFS内螺纹平面主支三通 ORFS MALE O-RING / ORFS FEMALE RUN TEE	<b>3F</b>  P233 美制ORFS内螺纹 ORFS FEMALE	<b>4F</b>  P234 美制ORFS外螺纹O形圈平面密封堵头 ORFS MALE O-RING PLUG
<b>9F</b>  P234 美制ORFS内螺纹堵头 ORFS FEMALE PLUG	<b>6F</b>  P235 美制ORFS外螺纹O形圈平面密封堵头 ORFS MALE O-RING BULKHEAD	<b>8F</b>  P235 美制ORFS锁母 ORFS LOCK NUT	<b>1FO</b>  P236 美制ORFS外螺纹O形圈平面密封 / 美制SAE外螺纹带O形圈重系列ISO 11926-2 ORFS MALE O-RING / SAE O-RING BOSS S-SERIES ISO 11926-2
<b>1F09-OG</b>  P237 90°弯美制ORFS外螺纹O形圈平面密封 / 美制SAE外螺纹带O形圈重系列ISO 11926-2 90°ELBOW ORFS MALE O-RING / SAE O-RING BOSS S-SERIES ISO 11926-2	<b>AFFO-OG</b>  P238 美制ORFS外螺纹O形圈平面密封 / 美制SAE外螺纹带O形圈重系列ISO 11926-2主支三通 ORFS MALE O-RING / SAE O-RING BOSS S-SERIES ISO 11926-2 RUN TEE	<b>AFOF-OG</b>  P238 美制ORFS外螺纹O形圈平面密封 / 美制SAE外螺纹带O形圈重系列ISO 11926-2分支三通 ORFS MALE O-RING / SAE O-RING BOSS S-SERIES ISO 11926-2 BRANCH TEE	<b>2OF</b>  P239 美制SAE外螺纹带O形圈重系列ISO 11926-2 / ORFS内螺纹 SAE O-RING BOSS S-SERIES ISO 11926-2 / ORFS FEMALE
<b>2OF9-OG</b>  P239 90°弯美制SAE外螺纹带O形圈重系列ISO 11926-2 / ORFS内螺纹 90°ELBOW SAE O-RING BOSS S-SERIES ISO 11926-2 / ORFS FEMALE	<b>NB200-F</b>  P240 ORFS螺母 ORFS TUBE END NUT	<b>NB300-F</b>  P240 ORFS英制管衬套 ORFS INCH SLEEVE	<b>NB500-F</b>  P240 ORFS公制管衬套 ORFS METRIC SLEEVE

美制螺纹转美制螺纹 · NPT THREAD ADAPTORS

# C 其他美制螺纹 OTHER NPT/JIC/SAE THREAD ADAPTORS



<b>1NO</b>  P200 美制布锥管外螺纹 / 美制SAE外螺纹带O形圈轻系列 ISO 11926-3 NPT MALE / SAE O-RING BOSS L-SERIES ISO 11926-3	<b>5NO</b>  P200 美制布锥管外螺纹 / 美制SAE内螺纹 ISO 11926-1 NPT MALE / SAE FEMALE ISO 11926-1	<b>5ON</b>  P201 美制SAE外螺纹带O形圈轻系列 ISO 11926-3 / 美制布锥管内螺纹 SAE O-RING BOSS L-SERIES ISO 11926-3 / NPT FEMALE	<b>2NU</b>  P241 布锥管外螺纹 / 美制NPSM内螺纹 60°外锥 NPT MALE / NPSM FEMALE 60° CONE
<b>7NU-S</b>  P241 布锥管内螺纹 / 美制NPSM内螺纹 60°外锥 NPT FEMALE / NPSM FEMALE 60° CONE	<b>2NU9</b>  P242 90°弯布锥管外螺纹 / 美制NPSM内螺纹 60°外锥 90° ELBOW NPT MALE / NPSM FEMALE 60° CONE	<b>7NU9-S</b>  P242 90°弯布锥管内螺纹 / 美制NPSM内螺纹 60°外锥 90° ELBOW NPT MALE / NPSM FEMALE 60° CONE	<b>1JN</b>  P212 JIC外螺纹74°外锥 / 布锥管外螺纹 JIC MALE 74° CONE / NPT MALE
<b>1JN9</b>  P213 90°弯JIC外螺纹74°外锥 / 布锥管外螺纹 90° ELBOW JIC MALE 74° CONE / NPT MALE	<b>AJN</b>  P214 美制JIC外螺纹74°外锥 / 布锥管外螺纹 主支三通 JIC MALE 74° CONE NPT MALE RUN TEE	<b>AJNJ</b>  P214 美制JIC外螺纹74°外锥 / 布锥管外螺纹 分支三通 JIC MALE 74° CONE / NPT MALE BRANCH TEE	<b>2NJ</b>  P215 布锥管外螺纹 / JIC内螺纹74°内锥 NPT MALE / JIC FEMALE 74° SEAT
<b>5JN</b>  P216 美制JIC外螺纹74°外锥 / 布锥管内螺纹 JIC MALE 74° CONE / NPT FEMALE	<b>5JN9</b>  P216 90°弯JIC外螺纹74°外锥 / 布锥管内螺纹 90°ELBOW JIC MALE 74° CONE / NPT FEMALE	<b>7NJ-S</b>  P219 布锥管内螺纹 / JIC内螺纹74°内锥 NPT FEMALE / JIC FEMALE 74° SEAT	<b>1JO</b>  P220 美制JIC外螺纹74°外锥 / SAE外螺纹带O形圈轻系列ISO 11926-3 JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3
<b>1JO9-OG</b>  P221 90°弯美制JIC外螺纹74°外锥 / SAE外螺纹带O形圈轻系列ISO 11926-3 90° ELBOW JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3	<b>AJJO-OG</b>  P221 美制JIC外螺纹74°外锥 / SAE外螺纹带O形圈轻系列ISO 11926-3主支三通 JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3 RUN TEE	<b>AJOJ-OG</b>  P222 美制JIC外螺纹74°外锥 / SAE外螺纹带O形圈轻系列ISO 11926-3分支三通 JIC MALE 74° CONE / SAE O-RING BOSS L-SERIES ISO 11926-3 BRANCH TEE	<b>2OJ</b>  P227 美制SAE外螺纹带O形圈轻系列ISO 11926-3 / JIC内螺纹74°内锥 SAE O-RING BOSS L-SERIES ISO 11926-3 / JIC FEMALE 74° SEAT
<b>4O</b>  P252 美制SAE外螺纹带O形圈堵头轻系列 ISO 11926-3 SAE O-RING BOSS PLUG L-SERIES ISO 11926-3	<b>4ON</b>  P253 美制SAE外螺纹带O形圈内六角堵头 轻系列ISO 11926-3 SAE O-RING BOSS HOLLOW HEX PLUG L-SERIES ISO 11926-3	<b>5O</b>  P254 美制SAE外螺纹带O形圈轻系列ISO 11926-3 / 美制SAE内螺纹ISO 11926-1 SAE O-RING BOSS L-SERIES ISO 11926-3 / SAE FEMALE ISO 11926-1	

其他美制螺纹 · OTHER NPT/JIC/SAE THREAD ADAPTORS

# C 法兰 FLANGE



<p><b>1CFL,1DFL</b></p>  <p>P243</p> <p>公制螺纹卡套式/轻系列法兰 ISO 6162-1 METRIC MALE BITE TYPE /L-SERIES FLANGE ISO 6162-1</p>	<p><b>1CFL9,1DFL9</b></p>  <p>P243</p> <p>90°弯公制螺纹卡套式/轻系列法兰 ISO 6162-1 90°ELBOW METRIC MALE BITE TYPE / L-SERIES FLANGE ISO 6162-1</p>	<p><b>1DFS</b></p>  <p>P244</p> <p>公制螺纹卡套式/重系列法兰 ISO 6162-2 METRIC MALE BITE TYPE H-SERIES FLANGE ISO 6162-2</p>	<p><b>1DFS9</b></p>  <p>P244</p> <p>90°弯公制螺纹卡套式/重系列 法兰ISO6162-2 90°ELBOW METRIC MALE BITE TYPE / H-SERIES FLANGE ISO 6162-2</p>
<p><b>1JFL</b></p>  <p>P245</p> <p>美制JIC外螺纹74°外锥/轻系列法兰 ISO 6162 JIC MALE 74° CONE/L-SERIES FLANGE ISO 6162-1</p>	<p><b>1JFL9</b></p>  <p>P245</p> <p>90°弯美制JIC外螺纹74°外锥 /轻系列法兰ISO 6162-1 90°ELBOW JIC MALE 74° CONE /L-SERIES FLANGE ISO 6162-1</p>	<p><b>1JFS</b></p>  <p>P246</p> <p>美制JIC外螺纹74°外锥/重系列 法兰ISO 6162-2 JIC MALE 74° CONE/S-SERIES FLANGE ISO 6162-2</p>	<p><b>1JFS9</b></p>  <p>P246</p> <p>90°弯美制JIC外螺纹74°外锥 /重系列法兰ISO 6162-2 90°ELBOW JIC MALE CONE /S-SERIES FLANGE ISO 6162-2</p>
<p><b>1FSW</b></p>  <p>P247</p> <p>重系列法兰ISO 6162-2 /焊接管 S-SERIES FLANGE ISO 6162-2/ WELD TUBE</p>	<p><b>1FLW</b></p>  <p>P247</p> <p>轻系列法兰ISO 6162-1 /焊接管 L-SERIES FLANGE ISO 6162-1 /WELD TUBE</p>	<p><b>FL</b></p>  <p>P248</p> <p>ISO 6162-1- SAE J518轻系列 对开法兰夹 ISO 6162-1- SAE J518 L-SERIES SPLIT FLANGE CLAMPS</p>	<p><b>FS</b></p>  <p>P248</p> <p>ISO 6162-2- SAE J518重系列 对开法兰夹 ISO 6162-2- SAE J518S-SERIES SPLIT FLANGE CLAMPS</p>
<p><b>FL-W</b></p>  <p>P249</p> <p>ISO 6162-1—SAE J518 轻系列整体法兰夹 ISO 6162-1- SAE J518 L-SERIES WHOLE FLANGE CLAMPS</p>	<p><b>FS-W</b></p>  <p>P249</p> <p>ISO 6162-2 —SAE J518 重系列整体法兰夹 ISO 6162-2- SAE J518 S-SERIES WHOLE FLANGE CLAMPS</p>	<p><b>4FL</b></p>  <p>P250</p> <p>ISO 6162-1轻系列法兰堵头 ISO 6162-1 L-SERIES FLANGE PLUG</p>	<p><b>4FS</b></p>  <p>P250</p> <p>ISO 6162-2重系列法兰堵头 ISO 6162-2 S-SERIES FLANGE PLUG</p>
<p><b>4FL-M</b></p>  <p>P251</p> <p>ISO 6162-1轻系列 平面法兰堵头 ISO 6162-1 L-SERIES FLANGE PLUG</p>	<p><b>4FS-M</b></p>  <p>P251</p> <p>ISO 6162-2重系列 平面法兰堵头 ISO 6162-2 S-SERIES FLANGE PLUG</p>		

PROFESSIONAL PRODUCTION OF  
FLUID CONNECTORS  
专业生产流体连接件



# D

**QUICK COUPLING SERIES**  
快速接头系列

# D ISO7241A



**母插座**  
Socket



P01

DD-ISOA 系列开闭式液压快速接头  
DD-ISOA Close Type Hydraulic Quick Coupling

**公插座**  
Plug



P01

DD-ISOA 系列开闭式液压快速接头  
DD-ISOA Close Type Hydraulic Quick Coupling

**连接器装配**  
Coupling Fitting



P01

DD-ISOA 系列开闭式液压快速接头  
DD-ISOA Close Type Hydraulic Quick Coupling

**母插座**  
Socket



P03

DD-S1 开闭式液压快速接头  
DD-S1 Close type hydraulic quick coupling

**公插座**  
Plug



P03

DD-S1 开闭式液压快速接头  
DD-S1 Close type hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P03

DD-S1 开闭式液压快速接头  
DD-S1 Close type hydraulic quick coupling

**母插座**  
Socket



P05

KSA 系列开闭式液压快速接头  
KSA Close type hydraulic quick coupling

**公插座**  
Plug



P05

KSA 系列开闭式液压快速接头  
KSA Close type hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P05

KSA 系列开闭式液压快速接头  
KSA Close type hydraulic quick coupling

**母插座**  
Socket



P07

DD-S6 开闭式液压快速接头(碳钢)  
DD-S6 Close type hydraulic quick coupling(steel)

**公插座**  
Plug



P07

DD-S6 开闭式液压快速接头(碳钢)  
DD-S6 Close type hydraulic quick coupling(steel)

**连接器装配**  
Coupling Fitting



P07

DD-S6 开闭式液压快速接头(碳钢)  
DD-S6 Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P09

DD-S3 开闭式液压快速接头(碳钢)  
DD-S3 Close type hydraulic quick coupling(steel)

**公插座**  
Plug



P09

DD-S3 开闭式液压快速接头(碳钢)  
DD-S3 Close type hydraulic quick coupling(steel)

**连接器装配**  
Coupling Fitting



P09

DD-S3 开闭式液压快速接头(碳钢)  
DD-S3 Close type hydraulic quick coupling(steel)

# D ISO7241B



**母插座**  
Socket



P11

DD-S2 开闭式液压快速接头(碳钢)  
DD-S2 Closetype hydraulic quick coupling(steel)

**公插座**  
Plug



P11

DD-S2 开闭式液压快速接头(碳钢)  
DD-S2 Closetype hydraulic quick coupling(steel)

**连接器装配**  
Coupling Fitting



P11

DD-S2 开闭式液压快速接头(碳钢)  
DD-S2 Closetype hydraulic quick coupling(steel)

**母插座**  
Socket



P13

KZD 中压高性能气液快速接头(黄铜)  
KZD Pneumatic and hydraulic quick coupling

**公插座**  
Plug



P13

KZD 中压高性能气液快速接头(黄铜)  
KZD Pneumatic and hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P13

KZD 中压高性能气液快速接头(黄铜)  
KZD Pneumatic and hydraulic quick coupling

**母插座**  
Socket



P15

KZF 开闭式气液快速接头(不锈钢304)  
KZF Close type pneumatic and hydraulic quick coupling(stainless steel 304)

**公插座**  
Plug



P15

KZF 开闭式气液快速接头(不锈钢304)  
KZF Close type pneumatic and hydraulic quick coupling(stainless steel 304)

**连接器装配**  
Coupling Fitting



P15

KZF 开闭式气液快速接头(不锈钢304)  
KZF Close type pneumatic and hydraulic quick coupling(stainless steel 304)

# D ISO16028



**母插座**  
Socket



P23

DD-FF 平面式液压快速接头(碳钢)(新)  
DD-FF Flat face type hydraulic quick coupling(steel)(new)

**公插座**  
Plug



P23

DD-FF 平面式液压快速接头(碳钢)(新)  
DD-FF Flat face type hydraulic quick coupling(steel)(new)

**连接器装配**  
Coupling Fitting



P23

DD-FF 平面式液压快速接头(碳钢)(新)  
DD-FF Flat face type hydraulic quick coupling(steel)(new)

**母插座**  
Socket



P25

DD-PT 平面式液压快速接头(锌镍合金)(新)  
DD-PT Flat face type hydraulic quick coupling(steel)(new)

**公插座**  
Plug



P25

DD-PT 平面式液压快速接头(锌镍合金)(新)  
DD-PT Flat face type hydraulic quick coupling(steel)(new)

**连接器装配**  
Coupling Fitting



P25

DD-PT 平面式液压快速接头(锌镍合金)(新)  
DD-PT Flat face type hydraulic quick coupling(steel)(new)

ISO7241A

ISO7241B / ISO16028

# D ISO5675



**母插座**  
Socket



P17

DD-S4 钢球式液压快速接头  
DD-S4 Ball valves type hydraulic quick

**公插座**  
Plug



P17

DD-S4 钢球式液压快速接头  
DD-S4 Ball valves type hydraulic quick

**连接器装配**  
Coupling Fitting



P17

DD-S4 钢球式液压快速接头  
DD-S4 Ball valves type hydraulic quick

**母插座**  
Socket



P19

DD-S5 推拉式液压快速接头  
DD-S5 Push and pulltype hydraulic quick coupling

**公插座**  
Plug



P19

DD-S5 推拉式液压快速接头  
DD-S5 Push and pulltype hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P19

DD-S5 推拉式液压快速接头  
DD-S5 Push and pulltype hydraulic quick coupling

**DD-S5-02**



P19

DD-S5C 推拉式液压快速接头  
DD-S5C Push and pulltype hydraulic quick coupling

**母插座**  
Socket



P21

DD-S5N 推拉式液压快速接头(碳钢)  
DD-S5N Push and pulltype hydraulic quick coupling (steel)

**公插座**  
Plug



P21

DD-S5N 推拉式液压快速接头(碳钢)  
DD-S5N Push and pulltype hydraulic quick coupling (steel)

**连接器装配**  
Coupling Fitting



P21

DD-S5N 推拉式液压快速接头(碳钢)  
DD-S5N Push and pulltype hydraulic quick coupling (steel)

**母插座**  
Socket



P22

DD-S5C 推拉式液压快速接头  
DD-S5C Push and pulltype hydraulic quick coupling

**公插座**  
Plug



P22

DD-S5C 推拉式液压快速接头  
DD-S5C Push and pulltype hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P22

DD-S5C 推拉式液压快速接头  
DD-S5C Push and pulltype hydraulic quick coupling

# D 螺纹锁紧式 SCREW TYPE



**母插座**  
Socket



P27

KZE-B 螺纹锁紧式液压快速接头(碳钢)(钢球顶针)  
KZE-B Thread locked type hydraulic quick coupling (steel)(ball/poppet valve)

**公插座**  
Plug



P27

KZE-B 螺纹锁紧式液压快速接头(碳钢)(钢球顶针)  
KZE-B Thread locked type hydraulic quick coupling (steel)(ball/poppet valve)

**连接器装配**  
Coupling Fitting



P27

KZE-B 螺纹锁紧式液压快速接头(碳钢)(钢球顶针)  
KZE-B Thread locked type hydraulic quick coupling (steel)(ball/poppet valve)

**母插座**  
Socket



P29

KZE-BA 螺纹锁紧式液压快接头(碳钢)  
KZE-Ba Thread locked type hydraulic quick coupling(steel)

**公插座**  
Plug



P29

KZE-BA 螺纹锁紧式液压快接头(碳钢)  
KZE-Ba Thread locked type hydraulic quick coupling(steel)

**连接器装配**  
Coupling Fitting



P29

KZE-BA 螺纹锁紧式液压快接头(碳钢)  
KZE-Ba Thread locked type hydraulic quick coupling(steel)

**母插座**  
Socket



P31

KZE-BD 螺纹锁紧式液压快接头  
KZE-BD Thread locked type hydraulic quick coupling

**公插座**  
Plug



P31

KZE-BD 螺纹锁紧式液压快接头  
KZE-BD Thread locked type hydraulic quick coupling

**连接器装配**  
Coupling Fitting



P31

KZE-BD 螺纹锁紧式液压快接头  
KZE-BD Thread locked type hydraulic quick coupling

**KZE-BC**



P33

KZE-BC 螺纹锁紧式液压快接头  
KZE-BC Thread locked type hydraulic quick coupling

**KZE-BB**



P34

KZE-BB 螺纹锁紧式液压快接头  
KZE-BB Thread locked type hydraulic quick coupling

**KZE-BB**



P34

KZE-BB 螺纹锁紧式液压快接头  
KZE-BB Thread locked type hydraulic quick coupling

**母插座**  
Socket



P35

KZE 开闭式液压快速接头(碳钢)  
KZE Close type hydraulic quick coupling(steel)

**公插座**  
Plug



P35

KZE 开闭式液压快速接头(碳钢)  
KZE Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P37

DD-S7 开闭式液压快速接头(碳钢)  
DD-S7 Close type hydraulic quick coupling(steel)

**公插座**  
Plug



P37

DD-S7 开闭式液压快速接头(碳钢)  
DD-S7 Close type hydraulic quick coupling(steel)

**连接器装配**  
Coupling Fitting



P37

DD-S7 开闭式液压快速接头(碳钢)  
DD-S7 Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

# D 螺纹锁紧式 SCREW TYPE



**公插座**  
Plug



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**连接器装配**  
Coupling Fitting



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**连接器装配**  
Coupling Fitting



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**母插座**  
Socket



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**公插座**  
Plug



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**连接器装配**  
Coupling Fitting



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**连接器装配**  
Coupling Fitting



P39

KH 开闭式液压快速接头(碳钢)(黄铜)  
KH Close type hydraulic quick coupling(steel)(brass)

**母插座**  
Socket



P41

DDST 美式液压快速接头  
DDST Americantype hydraulic quick coupling

**母插座**  
Socket



P41

DDST 美式液压快速接头  
DDST Americantype hydraulic quick coupling

**公插座**  
Plug



P41

DDST 美式液压快速接头  
DDST Americantype hydraulic quick coupling

**公插座**  
Plug



P41

DDST 美式液压快速接头  
DDST Americantype hydraulic quick coupling

**母插座**  
Socket



P43

DD-RD 日式液压快速接头  
DD-RD Japanese type hydraulic quick coupling

**母插座**  
Socket



P43

DD-RD 日式液压快速接头  
DD-RD Japanese type hydraulic quick coupling

**公插座**  
Plug



P43

DD-RD 日式液压快速接头  
DD-RD Japanese type hydraulic quick coupling

**公插座**  
Plug



P43

DD-RD 日式液压快速接头  
DD-RD Japanese type hydraulic quick coupling

# D 无阀系列 WITHOUT VALVE SERIES



**母插座**  
Socket



P45

DD-TC 开闭式超高压液压快速接头(碳钢)  
DD-TC Close type super high pressure hydraulic quick coupling(steel)

**母插座**  
Socket



P46

Q/ZB275-77 开闭式液压快速接头  
Q/ZB275-77 Close type hydraulic quick couplings

**公插座**  
Plug



P46

Q/ZB275-77 开闭式液压快速接头  
Q/ZB275-77 Close type hydraulic quick couplings

**母插座**  
Socket



P47

KJ 开闭式液压快速接头(碳钢)  
KJ Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P47

KJ 开闭式液压快速接头(碳钢)  
KJ Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P47

KJ 开闭式液压快速接头(碳钢)  
KJ Close type hydraulic quick coupling(steel)

**母插座**  
Socket



P47

LKJI 超高压快速接头 耐压70Mpa  
LKJI Superhigh pressure quick coupling

**母插座**  
Socket



P47

DDGW 超高压快速接头  
DDGW Superhigh pressure quick coupling

**母插座**  
Socket



P48

PPK3 农机液压快速接头(碳钢)  
PPK3 Agricultural hydraulic quick coupling (steel)

**母插座**  
Socket



P48

PPK3 农机液压快速接头(碳钢)  
PPK3 Agricultural hydraulic quick coupling (steel)

**母插座**  
Socket



P48

气动快速接头(碳钢)  
Pneumatic quick coupling (steel)

**母插座**  
Socket



P48

气动快速接头(碳钢)  
Pneumatic quick coupling (steel)

**母插座**  
Socket



P48

气动快速接头(碳钢)  
Pneumatic quick coupling (steel)

**母插座**  
Socket



P49

气动快速接头(黄铜)(不锈钢)  
Pneumatic quick coupling(brass)(stainless steel)

**母插座**  
Socket



P49

气动快速接头(黄铜)(不锈钢)  
Pneumatic quick coupling(brass)(stainless steel)

**母插座**  
Socket



P49

气动快速接头(黄铜)(不锈钢)  
Pneumatic quick coupling(brass)(stainless steel)

**母插座**  
Socket



P50

直插式软管接头(黄铜)(不锈钢)  
Push to connect quick coupling(brass)(stainless steel)

**母插座**  
Socket



P50

直插式软管接头(黄铜)(不锈钢)  
Push to connect quick coupling(brass)(stainless steel)

螺纹锁紧式 · SCREW TYPE

无阀系列 · WITHOUT VALVE SERIES

# D 无阀系列 WITHOUT VALVE SERIES



<p>P50 模具快速接头(黄铜) Quick coupling used for molds(brass)</p>	<p>P50 模具快速接头(黄铜) Quick coupling used for molds(brass)</p>	<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>
<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>	<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>	<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>
<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>	<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>	<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>
<p>P51 DD-C 单开闭气动快速接头 DD-C Single handed and semi-automatic type quick coupling</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>
<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>
<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>	<p>P52 DD-AA 单手半自动快速接头(碳钢) DD-AA Single handed and semi-automatic type quick coupling(steel)</p>

# D 无阀系列 WITHOUT VALVE SERIES



<p>母插座 Socket P53 气动快速接头(黄铜)(不锈钢) Pneumatic quick coupling(brass) (stainless steel)</p>	<p>公插座 Plug P53 气动快速接头(黄铜)(不锈钢) Pneumatic quick coupling(brass) (stainless steel)</p>	<p>公插座 Plug P53 气动快速接头(黄铜)(不锈钢) Pneumatic quick coupling(brass) (stainless steel)</p>	<p>P54 DD-1141螺纹锁紧式液压快速接头 (不锈钢316+黄铜) DD-1141 Thread locked type hydraulic quick coupling (stainless steel 316+brass)</p>
<p>母插座 Socket P55 农机液压快速接头钢球阀芯(碳钢) Agricultural hydraulic quick coupling ball valve(steel)</p>	<p>公插座 Plug P55 农机液压快速接头钢球阀芯(碳钢) Agricultural hydraulic quick coupling ball valve(steel)</p>	<p>连接器装配 Coupling Fitting P55 农机液压快速接头钢球阀芯(碳钢) Agricultural hydraulic quick coupling ball valve(steel)</p>	<p>P56 农机液压快速接头(碳钢) Agricultural hydraulic quick coupling (steel)</p>
<p>P56 农机液压快速接头(碳钢) Agricultural hydraulic quick coupling (steel)</p>	<p>P56 农机液压快速接头(碳钢) Agricultural hydraulic quick coupling (steel)</p>	<p>P56 农机液压快速接头(碳钢) Agricultural hydraulic quick coupling (steel)</p>	<p>P56 YJ 螺纹锁紧式液压快速接头(碳钢) YJ thread locked type hydraulic quick coupling(steel)</p>
<p>P56 CJ 开闭式液压快速接头(不锈钢) CJ close type hydraulic quick couplings (stainless steel)</p>	<p>P57 HTP 不锈钢快速接头(钢球) HTP stainless steel quick disconnect coupling (ball valve)</p>	<p>P57 S1-B 单手版开闭式气液快速接头(碳钢) S1-B connect with one hand quick disconnect coupling(steel)</p>	<p>P58 KZD-B 单手版开闭式气液快速接头(黄铜) KZD-B connect with one hand quick disconnect coupling (brass)</p>
<p>P58 KZF-B 单手版开闭式气液快速接头(不锈钢) KZF-B connect with one hand quick disconnect coupling (stainless steel)</p>	<p>P59 抽真空用底座(不锈钢) Vacuum pumping quick disconnect coupling(stainless steel)</p>	<p>P59 抽真空用底座(不锈钢) Vacuum pumping quick disconnect coupling (stainless steel)</p>	<p>P60 S3-R 双外螺纹开闭式液压快速接头(碳钢) S3-R close type quick disconnect coupling male thread (steel)</p>
<p>P60 VFH 飞翼式液压快速接头 VFH Wing nut quick disconnect coupling</p>	<p>P61 多路快速接头组合板系列(新) Multicouplings series</p>	<p>P61 多路快速接头组合板系列(新) Multicouplings series</p>	